





### Vehicle Information

|                             |   |   |                          |
|-----------------------------|---|---|--------------------------|
| VIN :                       | 1HTWEAZN76J296009                           | Order Date :  | 07/12/2005               |
| Model :                     | 7400 SFA 4X4                                | Build Date :  | 09/16/2005               |
| Engine :                    |   | DTU Date :  | 03/28/2006               |
| Application Family :        | Utility/Service                             | Warranty Start Date :   | 03/28/2006               |
| Application :               | Utility/Service (Other)                     | DTU Status :  | DTU                      |
| Wheel Base :                | 213.0                                       | DTU Odometer :  | 1000 Miles               |
| DTU Engine Hours :          | 0   | DTU Fuel Used :   | 0.                       |
| GVWR :                      | 33000                                       | Original Gear Ratio :   | 513                      |
| PC Number :                 | J50929041                                   |  Programmed Gear Ratio : | 513<br>As Of: 03/01/2006 |
| Paint Color Code :          | 9219  | Order Number :  | 201269                   |
| Selling Dealer :            | <u>BAYSHORE INTL TRUCKS</u><br>(631580-000) |  After Frame :           | 0.0                      |
| Customer :                  | UNICAT AMERICAS, INC.                       | Original Customer :   | Unicat Americas, Inc.    |
| Address :                   | 4159 OLD ODOBE RD                           | Address :   | 860 Renetta Ct.          |
| City, State Zip :           | PALO ALTO, CA 94306-372                     | City, State Zip :   | Los Altos, CA 940244627  |
| Toe (MM/M)                  | N/A   |   |                          |
| Forward Rear / Scrub (MM/M) | N/A   |   |                          |
| Rear Rear / Thrust (MM/M)   | N/A   |   |                          |

My Favorite Brand Preferences Sites Logoff



## International Vehicle Information

Home Publications Service Reference  
Write Up Dealer Warranty Support

Chassis / VIN Number

Select tab(s) to print

Summary Health Report Managed Repairs Details Components Serial Numbers Warranty Coverage SRT  
Warranty History iKNOW Search Case History iApprove iRequest

### Components

VIN : 1HTWEAZN76J296009

201 components found.

| S.No | Class Description | Parts Catalog Component | Component Line Drawing  | Description   |
|------|-------------------|-------------------------|-------------------------|---|
| 1    | FRAMES            | <a href="#">0001CAJ</a> | <a href="#">0001CAJ</a> | FRAME RAIL 120,000 PSI YIELD 456.0" OAL Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL |
| 2    | FRAMES            | <a href="#">0001LMY</a> | <a href="#">0001LMY</a> | FRT BUMPER-FULL WIDTH AERO CHROME PLTSTL Full Width, Aerodynamic, Chrome Plated Steel; 0.189" Material Thickness  |
| 3    | FRAMES            | <a href="#">0001WAC</a> | <a href="#">0001WAC</a> | 4" FRONT BUMPER EXTENSION 4.0"  |
| 4    | FRAMES            | <a href="#">0001WGH</a> | <a href="#">0001WGH</a> | WHEEL BASE RANGE 207" THRU 254" 207" (525cm) Through and Including 254" (645cm)   |
| 5    | FRAMES            | <a href="#">0001570</a> | <a href="#">0001570</a> | TWO FRONT TOW HOOKS Frame Mounted   |
| 6    | FRONT AXLES       | <a href="#">0002ESB</a> | <a href="#">0002ESB</a> | FR DRV AXLE 12K MTOR MX-12-120 Single Reduction, 12,000-lb Capacity, with Hub Piloted Wheel Mounting  |
| 7    | FRONT AXLES       | <a href="#">0002WLA</a> | <a href="#">0002WLA</a> | SPECIAL FR AXLE LUBE 75W-90 SYNTHETIC Synthetic Oil; 1 thru 29.99 Pints   |
| 8    | FRONT SUSPENSIONS | <a href="#">0003ADC</a> | <a href="#">0003ADC</a> | 12,000-LB FRT PARABOLIC TAPER LEAF SUSP Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers   |
| 9    | BRAKES            | <a href="#">0004AZA</a> | <a href="#">0004AZA</a> | BENDIX AIR BRAKE ABS Full Vehicle Wheel Control System (4-Channel)  |
| 10   | BRAKES            | <a href="#">0004EBT</a> | <a href="#">0004EBT</a> | AIR DRYER BENDIX (AD-IP) with Heater  |
| 11   | BRAKES            | <a href="#">0004JBL</a> | <a href="#">0004JBL</a> | 16.5X5 FRT S-CAM W/20" LONG STROKE CHMBR S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers  |
| 12   | BRAKES            | <a href="#">0004NCE</a> | <a href="#">0004NCE</a> | 16.5X7 RR W/TR3030 HEAVY DUTY MGM CHMBRS 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake                         |
|      |                   |                         |                         | BENDIX TU-FLO 550 AIR COMPRESSOR  |

|    |                    |                |                |  |
|----|--------------------|----------------|----------------|--|
| 13 | BRAKES             | <u>0004SBC</u> | <u>0004SBC</u> | 13.2 CFM Capacity  |
| 14 | BRAKES             | <u>0004VDL</u> | <u>0004VDL</u> | POL-ALUM AIR TANK W QUALITY CONNECT PORT Polished Aluminum, With Quality Connect Ports, for Weight Reduction   |
| 15 | BRAKES             | <u>0004091</u> | <u>0004091</u> | TRUCK DUAL AIR BRK SYSTEM Dual System for Straight Truck Applications  |
| 16 | BRAKES             | <u>0004732</u> | <u>0004732</u> | DRAIN VALVE 1 W/PULL CHAIN with Pull Chain, for Air Tank   |
| 17 | STEERING           | <u>0005CAN</u> | <u>0005CAN</u> | STRG WHL BLK LTHR 2-SPK 2-Spoke; 18" Dia., Black, Leather Wrapped  |
| 18 | STEERING           | <u>0005PSA</u> | <u>0005PSA</u> | 1-PWR STRG GEAR SHEPPARD M100 Power  |
| 19 | STEERING           | <u>0005708</u> | <u>0005708</u> | STRG COL, TILTING Tilting  |
| 20 | EXHAUST SYSTEMS    | <u>0007BGR</u> | <u>0007BGR</u> | EXH SGL HORZ/HORZ LSM SHORT TP Single, Horizontal, Stainless Steel Muffler with Internal Catalytic Converter, Aluminized Steel Short Tail Pipe, Frame Mounted Left Side, Back of Std Cab / Under Ext & Crew Cab, Outside of Rail, for 2004 Emissions Standards With International I6 Engines |
| 21 | EXHAUST SYSTEMS    | <u>0007SCJ</u> | <u>0007SCJ</u> | EXHAUST BRAKE, DLOGIC FOR DT570 & HT570 for MaxxFace 9 / DT570, MaxxFace 10 / HT570 Engines; Electronically Activated  |
| 22 | ELECTRICAL SYSTEMS | <u>0008GDY</u> | <u>0008GDY</u> | 270 AMP 12V ALT LN 4949PA Brush Type, 12 Volt 270 Amp. Capacity, Pad Mount   |
| 23 | ELECTRICAL SYSTEMS | <u>0008HAB</u> | <u>0008HAB</u> | BODY BLDR WIRING BOC OR U/C AT LT FRAME Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn  |
| 24 | ELECTRICAL SYSTEMS | <u>0008NAS</u> | <u>0008NAS</u> | BATTERY SYS 3-DELPHI 12V-2100CCA Maintenance-Free (3) 12-Volt 2100CCA Total  |
| 25 | ELECTRICAL SYSTEMS | <u>0008RCB</u> | <u>0008RCB</u> | CB RADIO ACCOM PKG/HEADER Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases with Wiring   |
| 26 | ELECTRICAL SYSTEMS | <u>0008TMG</u> | <u>0008TMG</u> | 7-WAY TRLR WIRED FOR STOP/TAIL/TURN 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers That Use Combined Stop, Tail, Turn Lamps  |
| 27 | ELECTRICAL SYSTEMS | <u>0008WCL</u> | <u>0008WCL</u> | 1-AIR HORN BLACK Black, Single Trumpet, Air Solenoid Operated  |
| 28 | ELECTRICAL SYSTEMS | <u>0008WHZ</u> | <u>0008WHZ</u> | FUSE PANEL MAXI FUSE PACKARD MP800 Maxi Fuse; Mounted in Power Distribution Center Under Hood  |
| 29 | ELECTRICAL SYSTEMS | <u>0008WLN</u> | <u>0008WLN</u> | 2-FOG LIGHTS PETERSON CLEAR Clear, Halogen, Rectangular  |
| 30 | ELECTRICAL SYSTEMS | <u>0008WMA</u> | <u>0008WMA</u> | SPECIAL WIRING F/CUST FURN LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light  |
| 31 | ELECTRICAL SYSTEMS | <u>0008WML</u> | <u>0008WML</u> | 2-HEADLIGHTS LONG LIFE HALOGEN Long Life Halogen; for Two Light System   |
|    | ELECTRICAL         |                |                | CAB/SUNSHADE CLEARANCE LIGHTS LED  |

|    |                          |                |                |   |
|----|--------------------------|----------------|----------------|---|
| 32 | SYSTEMS                  | <u>0008WPH</u> | <u>0008WPH</u> | AMBER Amber LED Lights, Flush Mounted on Cab or Sunshade  |
| 33 | ELECTRICAL SYSTEMS       | <u>0008WTB</u> | <u>0008WTB</u> | START MOTOR (LEECE-NEVILLE MS2) O/C 12 Volt; with Thermal Over-Crank Protection   |
| 34 | ELECTRICAL SYSTEMS       | <u>0008XAH</u> | <u>0008XAH</u> | MANUAL-RESET CIRC BREAKERS (MAIN PANEL) Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses             |
| 35 | ELECTRICAL SYSTEMS       | <u>0008XBK</u> | <u>0008XBK</u> | AUX SWTCH CONTROL CAB FOR CUSTOMER USE Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab |
| 36 | ELECTRICAL SYSTEMS       | <u>0008000</u> | <u>0008000</u> | ELEC SYS (12 VOLT) 12-Volt, Standard Equipment  |
| 37 | ELECTRICAL SYSTEMS       | <u>0008518</u> | <u>0008518</u> | CIGAR LIGHTER Includes Ash Cup  |
| 38 | ELECTRICAL SYSTEMS       | <u>0008540</u> | <u>0008540</u> | 2-ELECTRIC HORNS Trumpet Style  |
| 39 | ELECTRICAL SYSTEMS       | <u>0008718</u> | <u>0008718</u> | 1-POWER SOURCE (CIGAR-TYPE RECEPTACLE) Cigar Type Receptacle without Plug and Cord  |
| 40 | ELECTRICAL SYSTEMS       | <u>0008787</u> | <u>0008787</u> | RADIO ACC.PKG(WIRING-ANT.-SPKS.) Accommodation Package; Less Radio, with Wiring and Antenna, Includes Multiple Speakers             |
| 41 | FRONT END                | <u>0009HAD</u> | <u>0009HAD</u> | CHROME GRILLE Chrome  |
| 42 | FRONT END                | <u>0009WAY</u> | <u>0009WAY</u> | FIBERGLASS TILT FE 3 PIECE Tilting, Fiberglass, with Three Piece Construction   |
| 43 | FRONT END                | <u>0009579</u> | <u>0009579</u> | FENDER EXTENSIONS MOLDED TPO Injection Molded TPO   |
| 44 | MISC                     | <u>0010WYZ</u> | <u>0010WYZ</u> | QUALIFICATION ID FOR NON DIAMOND SPEC for Non-Diamond SPEC Vehicle  |
| 45 | SPEEDOMETER, TOOLS, MISC | <u>0010060</u> | <u>0010060</u> | SINGLE COLOR 100 PT SCHEMATIC Single Color, Design 100  |
| 46 | SPEEDOMETER, TOOLS, MISC | <u>0010210</u> | <u>0010210</u> | EMISSION LABELS (FUEL ECONOMY/NOISE) Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY                           |
| 47 | SPEEDOMETER, TOOLS, MISC | <u>0010636</u> | <u>0010636</u> | PAINT SGL COLOR FRAME,RUNNING GR L/TANK Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks                      |
| 48 | SPEEDOMETER, TOOLS, MISC | <u>0010761</u> | <u>0010761</u> | PAINT-BASE COAT/CLEAR COAT 1-2 TONE Base Coat/Clear Coat, 1-2 Tone  |
| 49 | SPEEDOMETER, TOOLS, MISC | <u>0010769</u> | <u>0010769</u> | PREMIUM COLOR PAINT Premium Color   |
| 50 | CLUTCH                   | <u>0011001</u> | <u>0011001</u> | OMIT CLUTCH & CONTROLS Omit Item (Clutch & Control)   |
| 51 | ENGINE                   | <u>0012NPZ</u> | <u>0012NPZ</u> | INTL DT570 310HP/2200 GOV EPA 2004, 310HP 950 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, # 2 Bell Housing                    |
| 52 | ENGINE                   | <u>0012THT</u> | <u>0012THT</u> | FAN DRIVE HORTON (DRIVEMASTER 2SPD) Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed               |
| 53 | ENGINE                   | <u>0012UVW</u> | <u>0012UVW</u> | RAD 940" CAC 1025" Cross Flow, Series System; 940 SqIn Aluminum Radiator Core and 1025 SqIn Charge Air Cooler                       |

|    |                         |                |                |  |
|----|-------------------------|----------------|----------------|--|
| 54 | ENGINE                  | <u>0012UXV</u> | <u>0012UXV</u> | 2004 FED EMISSIONS VT365, DT466, DT570 for 2004; for International VT365, DT466 and DT570 Engines  |
| 55 | ENGINE                  | <u>0012VBC</u> | <u>0012VBC</u> | SINGLE ELEMENT A/CLEANR Single Element   |
| 56 | ENGINE                  | <u>0012VXT</u> | <u>0012VXT</u> | ENGINE SPEED CONTROL, STEER WHEEL MTD Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel  |
| 57 | ENGINE                  | <u>0012VYC</u> | <u>0012VYC</u> | REMOTE ENG CONTROL F/PTO/ W/CEC2 ENGINES Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for CEC II Electronic Engines      |
| 58 | ENGINE                  | <u>0012WYS</u> | <u>0012WYS</u> | EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap   |
| 59 | ENGINE                  | <u>0012WYT</u> | <u>0012WYT</u> | CHARGE AIR COOLER HEAVY DUTY INTL ENGINE Heavy Duty, for Increased Temperature and Pressure Capability, for International Engines  |
| 60 | ENGINE                  | <u>0012959</u> | <u>0012959</u> | ENG BLOCK HTR 120V/1250W 120V/1250W  |
| 61 | TRANSMISSION            | <u>0013AGD</u> | <u>0013AGD</u> | ALLISON 3000_RDS5-SP W/PTO LESS RETARDER Close Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. |
| 62 | TRANSMISSION            | <u>0013TKA</u> | <u>0013TKA</u> | MERITOR 2-SPD TRANS CASE T-4210 2 2 Spd, 10000 lb-ft Total Capacity, with Provision for PTO, with Electric Over Air Control  |
| 63 | TRANSMISSION            | <u>0013WAW</u> | <u>0013WAW</u> | OIL CLR AUTO XMSN MODINE WATER TO OIL Water to Oil Type  |
| 64 | TRANSMISSION            | <u>0013WBN</u> | <u>0013WBN</u> | ALLISON T-BAR TYPE SHIFT CONTROL T-Bar Type; for Allison 3000 & 4000 Transmission  |
| 65 | TRANSMISSION            | <u>0013WDB</u> | <u>0013WDB</u> | TRANSFER CASE LUBE-SAE 50W SYNTH Synthetic; 1 thru 14.99 Pints   |
| 66 | TRANSMISSION            | <u>0013WDP</u> | <u>0013WDP</u> | OIL COOLER T-CASE MERITOR BOC Remote Mounted Back of Cab   |
| 67 | TRANSMISSION            | <u>0013WUC</u> | <u>0013WUC</u> | ALLISON RDS SPARE I/O for Rugged Duty Series (RDS); General Purpose Trucks, Construction   |
| 68 | REAR AXLES, SUSPENSIONS | <u>0014ASU</u> | <u>0014ASU</u> | MERITOR RS-21-145 21K REAR AXLE Single Reduction, Wide Track, 21,000-lb Capacity, 200 Wheel Ends, and ABS, Driver Controlled Locking Differential                                      |
| 69 | REAR AXLES, SUSPENSIONS | <u>0014SAN</u> | <u>0014SAN</u> | RR SPGS 23.5K HD V-RATE Vari-Rate; 23,500-lb Capacity  |
| 70 | REAR AXLES, SUSPENSIONS | <u>0014WLB</u> | <u>0014WLB</u> | REAR AXLE OIL-75W-90 SYNTHETIC Synthetic Oil; 30 thru 39.99 Pints  |
| 71 | FUEL TANKS              | <u>0015LJM</u> | <u>0015LJM</u> | FUEL/WATER SEPARATOR FLEETGUARD 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor, with Filter Restriction/Change Indicator                                   |
| 72 | FUEL TANKS              | <u>0015SMD</u> | <u>0015SMD</u> | 1-FL TK UC P/AL 70G LT 19"DP D-STY Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side,  |

|    |                     |                |                |  |
|----|---------------------|----------------|----------------|--|
|    |                     |                |                | Under Cab  |
| 73 | CABS, COWLS, BODIES | <u>0016CAB</u> | <u>0016CAB</u> | CAB EXTENDED CONVENTIONAL<br>Extended Conventional   |
| 74 | CABS, COWLS, BODIES | <u>0016HBA</u> | <u>0016HBA</u> | ENGLISH GA CLUSTER W/ENGLISH<br>SPEEDO English with English Electronic<br>Speedometer  |
| 75 | CABS, COWLS, BODIES | <u>0016HGG</u> | <u>0016HGG</u> | OIL TEMPERATURE GAUGE (ENGINE)   |
| 76 | CABS, COWLS, BODIES | <u>0016HGH</u> | <u>0016HGH</u> | OIL TEMP GAUGE FOR AUTOMATIC<br>TRANS for Allison Transmission   |
| 77 | CABS, COWLS, BODIES | <u>0016HGL</u> | <u>0016HGL</u> | OIL TEMPERATURE GAUGE (REAR AXLE)  |
| 78 | CABS, COWLS, BODIES | <u>0016JNT</u> | <u>0016JNT</u> | DRIVER SEAT NAT'L Air Suspension, High<br>Back with Integral Headrest, Vinyl, Isolator, 1<br>Chamber Lumbar, with 2 Position Front<br>Cushion Adjust, -3 to +14 Degree Angle Back<br>Adjust  |
| 79 | CABS, COWLS, BODIES | <u>0016RPV</u> | <u>0016RPV</u> | PASSENGER SEAT NAT'L Air Suspension,<br>High Back with Integral Headrest, Vinyl,<br>Isolated, 1 Chamber Lumbar, 2 Position Front<br>Cushion Adjustment, -3 to +14 Degree Back<br>Adjust  |
| 80 | CABS, COWLS, BODIES | <u>0016SDG</u> | <u>0016SDG</u> | 1 LOOK DOWN MIRROR RIGHT SIDE<br>BRIGHT Right Side; 6" x 10 1/4", with Bright<br>Finish  |
| 81 | CABS, COWLS, BODIES | <u>0016SDU</u> | <u>0016SDU</u> | 2-MIRROR CONVEX HEAT W/CLRNC<br>LIGHT Styled; Rectangular, Power Both<br>Sides, Thermostatically Controlled Heated<br>Heads, Clearance Lights LED, Bright Finish<br>Heads & Brackets, Breakaway Type, 7.09" x<br>15.75" & Integral Convex Both Sides, 102"<br>Inside Spacing |
| 82 | CABS, COWLS, BODIES | <u>0016WJT</u> | <u>0016WJT</u> | INSTR PANEL CENTER SECTION<br>ERGONOMIC Center Section, Ergonomic<br>Panel   |
| 83 | CABS, COWLS, BODIES | <u>0016WJU</u> | <u>0016WJU</u> | 2-POWER WINDOWS/DOOR LOCKS and<br>Power Door Locks, Left and Right Doors,<br>Includes Express Down Feature   |
| 84 | CABS, COWLS, BODIES | <u>0016WKB</u> | <u>0016WKB</u> | HTR&A/C (INTERNATIONAL BLEND-AIR)<br>with Integral Heater & Defroster  |
| 85 | CABS, COWLS, BODIES | <u>0016WKY</u> | <u>0016WKY</u> | HVAC FRESH AIR FILTER  |
| 86 | CABS, COWLS, BODIES | <u>0016WKZ</u> | <u>0016WKZ</u> | KEYLESS ENTRY REMOTE W/PANIC<br>BUTTON with Panic and Auxiliary Buttons,<br>Includes One Key Fob (Transmitter)   |
| 87 | CABS, COWLS, BODIES | <u>0016WLE</u> | <u>0016WLE</u> | STORAGE POCKET, PASS DOOR Molded<br>Plastic, Full Width; Mounted on Passenger<br>Door  |
| 88 | CABS, COWLS, BODIES | <u>0016WSK</u> | <u>0016WSK</u> | CAB REAR AIR SUSPENSION Air Bag Type   |
| 89 | CABS, COWLS, BODIES | <u>0016WSY</u> | <u>0016WSY</u> | CAB INT TRIM PREMIUM- EXTENDED CAB<br>Premium; for Extended Cab  |
| 90 | CABS, COWLS, BODIES | <u>0016XWD</u> | <u>0016XWD</u> | EXTERIOR SUNSHADE PAINTED AERO<br>Aerodynamic, Painted Roof Color; Includes<br>Integral Clearance/Marker Lights  |
| 91 | CABS, COWLS, BODIES | <u>0016000</u> | <u>0016000</u> | TRANS COVER, FLOOR MATS, SEALS<br>Transmission Cover, Floor Mats and Seal DO<br>NOT ORDER-FOR FACTORY USE ONLY   |

|     |                       |                |                |  |
|-----|-----------------------|----------------|----------------|--|
| 92  | CABS, COWLS, BODIES   | <u>0016615</u> | <u>0016615</u> | OMIT REAR BENCH SEAT BENCH; Omit Item  |
| 93  | CABS, COWLS, BODIES   | <u>0016975</u> | <u>0016975</u> | HEATER HOSES SILICONE Silicone   |
| 94  | WHEELS, TIRES - FRONT | <u>0027DHJ</u> | <u>0027DHJ</u> | DISC FR WHL 22.5X12.25 P/AL DISC; 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            |
| 95  | WHEELS, TIRES - REAR  | <u>0032DHJ</u> | <u>0032DHJ</u> | SGL DISC RR WHL 22.5X12.25 P/AL SINGLE DISC; 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs |
| 96  | WARRANTY              | <u>0040010</u> | <u>0040010</u> | MEDIUM DUTY STD WARRANTY Medium Duty Standard 12 Months  |
| 97  |                       | <u>0270DYA</u> | <u>0270DYA</u> |  |
| 98  |                       | <u>0414STA</u> | <u>0414STA</u> |  |
| 99  |                       | <u>0414STH</u> | <u>0414STH</u> |  |
| 100 | MISC                  | <u>0504058</u> | <u>0504058</u> | AIR TANK VOLUME ID NOMINAL 6054 Nominal 6054 Culin System Capacity   |
| 101 | BRAKES                | <u>0504201</u> | <u>0504201</u> | DRAIN VALVE 1 W/PULL CHAIN 2 PETCOCK (1) with Pull Chain and (2) Petcocks, for Air Tanks   |
| 102 | BRAKES                | <u>0504306</u> | <u>0504306</u> | R/S AUTO-SLACK ADJSTRS-FRONT Automatic   |
| 103 | BRAKES                | <u>0504355</u> | <u>0504355</u> | R/S AUTO-SLACK ADJSTRS-REAR Automatic  |
| 104 | BRAKES                | <u>0504392</u> | <u>0504392</u> | AIR DRYER LOC OUTSIDE RT RAIL BOC Mounted Outside Right Rail, Back of Cab  |
| 105 | BRAKES                | <u>0504438</u> | <u>0504438</u> | MERITOR MA212 FRONT BRAKE LININGS Non-Asbestos for S-Cam Brake   |
| 106 | BRAKES                | <u>0504439</u> | <u>0504439</u> | MERITOR MA212 REAR BRAKE LININGS Non-Asbestos for S-Cam Brake  |
| 107 | BRAKES                | <u>0504441</u> | <u>0504441</u> | MERITOR Q-PLUS FRONT BRAKE   |
| 108 | BRAKES                | <u>0504442</u> | <u>0504442</u> | MERITOR Q-PLUS REAR BRAKE  |
| 109 | BRAKES                | <u>0504470</u> | <u>0504470</u> | FRONT DUST SHIELDS FOR AIR BRAKES for Air Brakes   |
| 110 | BRAKES                | <u>0504471</u> | <u>0504471</u> | REAR DUST SHIELDS FOR AIR BRAKES for Air Brakes  |
| 111 | BRAKES                | <u>0504603</u> | <u>0504603</u> | LOCATE 2 AIR TANKS Mounted Under Battery Box, Outside Right Rail, Under Cab  |
| 112 | DRIVELINES            | <u>0506001</u> | <u>0506001</u> | TRANSMISSION OUTPUT YOKE   |
| 113 | DRIVELINES            | <u>0506004</u> | <u>0506004</u> | TRANSFER CASE INPUT YOKE   |
| 114 | DRIVELINES            | <u>0506005</u> | <u>0506005</u> | TRANSFER CASE OUTPUT YOKE TO FRT AXLE  |
| 115 | DRIVELINES            | <u>0506006</u> | <u>0506006</u> | TRANSFER CASE OUTPUT YOKE TO REAR AXLE   |
| 116 | DRIVELINES            | <u>0506010</u> | <u>0506010</u> | REAR REAR AXLE INPUT YOKE or Single Rear Axle Input  |
| 117 | DRIVELINES            | <u>0506011</u> | <u>0506011</u> | FRONT AXLE INPUT YOKE  |
| 118 | DRIVELINES            | <u>0506100</u> | <u>0506100</u> | DRIVELINE LABOR for Driveline Labor  |
| 119 | DRIVELINES            | <u>0506102</u> | <u>0506102</u> | FIRST CENTER BEARING   |
| 120 | DRIVELINES            | <u>0506110</u> | <u>0506110</u> | CENTER BEARING MOUNTING PARTS  |
|     |                       |                |                | BATT BOX STL RSM UC 3 CAP Steel with   |

|     |                          |                |                |   |
|-----|--------------------------|----------------|----------------|---|
| 121 | ELECTRICAL SYSTEMS       | <u>0508001</u> | <u>0508001</u> | Plastic Cover, Up to 3 Battery Capacity, Mounted Right Side Under Cab   |
| 122 | ELECTRICAL SYSTEMS       | <u>0508011</u> | <u>0508011</u> | AIR SOLENOID 7-PAK W/ECU AND J1939 7-Pak, Electronic Operated, Includes an ECU with J1939 Communications  |
| 123 | ELECTRICAL SYSTEMS       | <u>0508014</u> | <u>0508014</u> | STOP TURN TAIL B/U INSIDE RAIL Tail Lights Located on Inside of Frame Rail  |
| 124 | SPEEDOMETER, TOOLS, MISC | <u>0510000</u> | <u>0510000</u> | BULK MATERIAL   |
| 125 | MISC                     | <u>0510002</u> | <u>0510002</u> | SERVICE ASM; CAB, DCM, HARNESS, IP  |
| 126 | SPEEDOMETER, TOOLS, MISC | <u>0510908</u> | <u>0510908</u> | RED EXTENDED LIFE COOLANT EFFECTS for Red Extended Life Coolant Effects   |
| 127 | SPEEDOMETER, TOOLS, MISC | <u>0510910</u> | <u>0510910</u> | VEPS IDENTITY NGV REQUIRES FOR I6 ENGINE NGV Programming Requirements for International I6 Engines  |
| 128 | ENGINE                   | <u>0512012</u> | <u>0512012</u> | VEPS PROG, ENGINE TEMP CONTROL Engine De-Rate Sequence Starts at 235 Degrees ilo 225 Degrees  |
| 129 | ENGINE                   | <u>0512017</u> | <u>0512017</u> | COLD START EQUIP W/ENG ECM CTRL Intake Manifold Electric Grid Heater, with Engine ECM Control   |
| 130 | REAR AXLES, SUSPENSIONS  | <u>0514001</u> | <u>0514001</u> | REAR SUSPENSION PARTS   |
| 131 | REAR AXLES, SUSPENSIONS  | <u>0514012</u> | <u>0514012</u> | CONT LIFT AXLE CAB EFFECTS Cab Effects; When Controls Are Not Provided  |
| 132 | CABS, COWLS, BODIES      | <u>0516003</u> | <u>0516003</u> | CAB ACCESS 2 STEPS PER DOOR REG/EXT CAB Driver & Passenger Sides, Two Steps Per Door, for use with Regular and Extended Cabs Not with 13" Deep Fuel Tanks                   |
| 133 | CABS, COWLS, BODIES      | <u>0516043</u> | <u>0516043</u> | AUX GAUGE PANEL FOR AGSP Contains Gauge Housing for up to Three Cluster Gauges and Switch Pack Housing for up to Six Multiplex Switches or One Remote Power Module Switches |
| 134 | CABS, COWLS, BODIES      | <u>0516101</u> | <u>0516101</u> | MIRROR, HEATED ALL HEADS All Heads, Both Sides, Thermostatically Controlled, with Switch Mounted in Wing Panel  |
| 135 | CABS, COWLS, BODIES      | <u>0516102</u> | <u>0516102</u> | MIRROR, POWERED Both Sides, Flat Glass Only   |
| 136 | CABS, COWLS, BODIES      | <u>0516103</u> | <u>0516103</u> | MIRROR, CLEARANCE LIGHTS EFFECTS; Both Sides  |
| 137 | CABS, COWLS, BODIES      | <u>0516105</u> | <u>0516105</u> | MIRROR, BRIGHT FINISHED Head and Brackets, Both Sides   |
| 138 | CABS, COWLS, BODIES      | <u>0516106</u> | <u>0516106</u> | MIRROR STYLE AERO Aerodynamic   |
| 139 | WHEELS MISC OPTIONS      | <u>0529001</u> | <u>0529001</u> | LUBE FRT WHL BEARINGS   |
| 140 | WHEELS MISC OPTIONS      | <u>0529002</u> | <u>0529002</u> | LUBE REAR WHL BEARINGS  |
| 141 | MISC                     | <u>0530100</u> | <u>0530100</u> | TIRES   |
| 142 | BODY & CHASSIS PAINT     | <u>0535001</u> | <u>0535001</u> | PAINT COLOR GROUP NO. 01 No. 01   |
| 143 | BODY & CHASSIS PAINT     | <u>0535007</u> | <u>0535007</u> | PAINT CHASSIS COLOR GROUP NO. 07 No. 07   |
| 144 | MISC                     | <u>0595008</u> | <u>0595008</u> | ESC PROG AIR PRESSURE GAUGE/AIR BRAKE Primary & Secondary, for Air Brake Chassis  |

|     |      |                |                |   |
|-----|------|----------------|----------------|---|
| 145 | MISC | <u>0595009</u> | <u>0595009</u> | ESC PROG ABS WARN LIGHT NOT TRAILER with ABS Warning Light, with Full Power Hydraulic and Air Brake Systems, Not Including Trailer                    |
| 146 | MISC | <u>0595014</u> | <u>0595014</u> | ESC PROG PARK BRAKES W/IND LIGHT with Air and Hydraulic Brakes  |
| 147 | MISC | <u>0595015</u> | <u>0595015</u> | ESC PROG BRAKES SWITCH Preprocessing  |
| 148 | MISC | <u>0595016</u> | <u>0595016</u> | ESC PROG ENGINE EXHAUST BRAKE   |
| 149 | MISC | <u>0595018</u> | <u>0595018</u> | ESC PROG HEADLIGHTS DAY/RUN Includes Daytime Running Lights, Lights on with Wipers and Flash to Pass  |
| 150 | MISC | <u>0595019</u> | <u>0595019</u> | ESC PROG FOG LIGHT ACCOMM PACKAGE or For Light Accommodation Package  |
| 151 | MISC | <u>0595021</u> | <u>0595021</u> | ESC PROG TURN SIGNAL/BRAKE Hazard Lights with Stop Overriding Hazard or Hazard Overriding Stop  |
| 152 | MISC | <u>0595022</u> | <u>0595022</u> | ESC PROG AIR HORN W/ OR WITHOUT SWITCH with or without Auxiliary Air horn Switch  |
| 153 | MISC | <u>0595023</u> | <u>0595023</u> | ESC PROG ELECTRIC HORN CITY KEYLESS ENTR with and without Keyless Entry Effects   |
| 154 | MISC | <u>0595024</u> | <u>0595024</u> | ESC PROG DOME LT W/DIM & KEYLESS ENTRY Includes Theater Style Dimming and Keyless Entry Effects   |
| 155 | MISC | <u>0595027</u> | <u>0595027</u> | ESC PROG DIAGNOSTICS  |
| 156 | MISC | <u>0595030</u> | <u>0595030</u> | ESC PROG TRAILER MARKER LIGHT Operates Trailer Marker Lights on with Tractor Parking Lights   |
| 157 | MISC | <u>0595031</u> | <u>0595031</u> | ESC PROG IGNITION KEY OR KEYLESS Keyed or Keyless Ignition  |
| 158 | MISC | <u>0595040</u> | <u>0595040</u> | ESC PROG DIFFERENTIAL LOCK Driver Controlled  |
| 159 | MISC | <u>0595048</u> | <u>0595048</u> | ESC PROG LO WASHER FLUID W/LIGHT with Indicator Light   |
| 160 | MISC | <u>0595049</u> | <u>0595049</u> | ESC PRG ELET PRAM DEFL SET W/ALL UNIT Required By All Units   |
| 161 | MISC | <u>0595052</u> | <u>0595052</u> | ESC PROG SINGLE FUEL GA SENSOR Single Fuel Tank or Dual Fuel Tanks with One Fuel Level Sensor   |
| 162 | MISC | <u>0595060</u> | <u>0595060</u> | T/R XMSN OIL TEMP GAUGE, AUTO with Electronic Control Module Capable of Transmitting Data for Transmission Oil Temp Gauge, for Automatic Transmission |
| 163 | MISC | <u>0595061</u> | <u>0595061</u> | ESC PROG VOLTMETER  |
| 164 | MISC | <u>0595063</u> | <u>0595063</u> | ESC PROG SEAT BELT IND LIGHT  |
| 165 | MISC | <u>0595066</u> | <u>0595066</u> | T/R DATA ENGINE OIL PRESS GAUGE   |
| 166 | MISC | <u>0595067</u> | <u>0595067</u> | T/R DATA ENGINE COOLANT TEMP GA   |
| 167 | MISC | <u>0595069</u> | <u>0595069</u> | T/R DATA VEHICLE SPEED GAUGE (Speedometer)  |
| 168 | MISC | <u>0595079</u> | <u>0595079</u> | T/R DATA WARNING LIGHTS   |
| 169 | MISC | <u>0595080</u> | <u>0595080</u> | ESC PROG AIR SOLENOID POWER   |
|     |      |                |                | ESC PROG TRANS WARN LIGHT WTEC for  |

|     |      |                |                |   |
|-----|------|----------------|----------------|---|
| 170 | MISC | <u>0595082</u> | <u>0595082</u> | WTEC  |
| 171 | MISC | <u>0595083</u> | <u>0595083</u> | ESC PROG CRUISE CONTROL SWITCH<br>STATE State   |
| 172 | MISC | <u>0595084</u> | <u>0595084</u> | ESC PROG ENGINE FAN REQUEST   |
| 173 | MISC | <u>0595085</u> | <u>0595085</u> | ESC PROG GAUGE CLUSTER ALARM<br>HANDLER Handler   |
| 174 | MISC | <u>0595087</u> | <u>0595087</u> | ESC PROG SINGLE RR AXLE TEMP<br>GAUGE Gauge   |
| 175 | MISC | <u>0595090</u> | <u>0595090</u> | ESC PROG RANGE WARN LIGHT WTEC<br>Warning Light for WTEC  |
| 176 | MISC | <u>0595092</u> | <u>0595092</u> | ESC PROG WAIT TO START IND LIGHT  |
| 177 | MISC | <u>0595095</u> | <u>0595095</u> | ESC PROG ENGINE STATE   |
| 178 | MISC | <u>0595097</u> | <u>0595097</u> | T/R DATA, OIL TEMP GAUGE ECM DRIVEN<br>ECM Driven, Engine Control Module Driven   |
| 179 | MISC | <u>0595102</u> | <u>0595102</u> | ESC PROG CRUISE/RESCM OUTPUT<br>HANDLER   |
| 180 | MISC | <u>0595103</u> | <u>0595103</u> | ESC PROG HARDWIRE CONFIG DATA   |
| 181 | MISC | <u>0595104</u> | <u>0595104</u> | ESC PROG NETWORK CONFIG DATA  |
| 182 | MISC | <u>0595105</u> | <u>0595105</u> | ESC PROG IP CONFIG DATA   |
| 183 | MISC | <u>0595107</u> | <u>0595107</u> | ESC PROG POWER WIN/LOCKS W/2 DR<br>with 2 Doors   |
| 184 | MISC | <u>0595116</u> | <u>0595116</u> | T/R DATA PRNDL W/WTEC 5&6-SPD   |
| 185 | MISC | <u>0595129</u> | <u>0595129</u> | ESC PROG, KEYLESS ENTRY REMOTE  |
| 186 | MISC | <u>0595130</u> | <u>0595130</u> | T/R DATA, ENGINE TYPE INTERNATIONAL   |
| 187 | MISC | <u>0595162</u> | <u>0595162</u> | ESC PROG OMIT STOP/TURN<br>DIAGNOSTICS Diagnostics  |
| 188 | MISC | <u>0595168</u> | <u>0595168</u> | ESC PROG WORK LIGHT DIAGNOSTICS<br>OMIT Omit  |
| 189 | MISC | <u>0595208</u> | <u>0595208</u> | T/R DATA, ENGINE SPEED GAUGE<br>Tachometer 4000 RPM   |
| 190 | MISC | <u>0595234</u> | <u>0595234</u> | ESC PROG BATT FEED FUES DET #2 with<br>ESC #2   |
| 191 | MISC | <u>0595249</u> | <u>0595249</u> | ESC PROG HEATED MIRROR (2) Default<br>Switch Located in Wing Panel  |
| 192 | MISC | <u>0595250</u> | <u>0595250</u> | ESC PROG WORK LT W/TIMER/KEYLESS<br>ENTRY Includes Keyless Entry and Timer<br>Function Effects, (2) Default Switch Located<br>in Wing Panel |
| 193 | MISC | <u>0595251</u> | <u>0595251</u> | ESC PROG PARKING/MARKER W/15AMP<br>FUSE Tail Clear Lights, with or without<br>Marker Interrupt Switch, Includes 15 amp<br>Fuse              |
| 194 | MISC | <u>0595253</u> | <u>0595253</u> | ESC PROG WINDSHIELD WIPER ESC2<br>Includes Hi, Lo and Intermittent Speeds Plus<br>Washer Effects, with ESC2                                 |
| 195 | MISC | <u>0595265</u> | <u>0595265</u> | ESC PROG SWITCH AUXILIARY In Center<br>Panel, with 40 Amp. Fuse/Circuit, Accessory<br>Controlled  |
| 196 | MISC | <u>0595269</u> | <u>0595269</u> | ESC PROG,XFER CASE W/NEUTRAL<br>4X4,6X6 with Neutral Gear, for 6x6 or 4x4   |
| 197 | MISC | <u>0595291</u> | <u>0595291</u> | ESC PRG FUEL FLTR PLUGGED<br>W/LIGHT/I6 ENG Plugged, with Light and<br>International 2004 I6 Engines  |

|     |      |                |                |  |
|-----|------|----------------|----------------|--|
| 198 | MISC | <u>0595295</u> | <u>0595295</u> | ESC PRG WATER IN FUEL FOR INTL I6 ENGINE with J1939, for 2004 International I6 Engines |
| 199 | MISC | <u>0595311</u> | <u>0595311</u> | ELECT SYSTEM CONTROLLER ESC2 NVM with Hitachi Processor and NVM                        |
| 200 | MISC | <u>0595336</u> | <u>0595336</u> | ESC PROG REFRIGERANT CONTROL HVAC W/LT HVAC, with Check A/C Warning Light in Cluster   |
| 201 |      | <u>0775266</u> | <u>0775266</u> |  |

**Copyright 2017 Navistar, Inc.**

All times are: (UTC-06:00) Central Time (US & Canada)  
 2017/10/13 08:57 BRKSWW316